

CATALOGUE 2027

SKY
PARAGLIDERS





The Lines

We strongly believe that true performance & pleasure is born from the right match of pilot to wing. Our Lines Series clearly & logically define the different facets of our beautiful sport. We say, 'simply choose your style'. With the Lines Series, we make this choice as easy as possible so that you can begin to realise your full potential.

COMFORT line

Where security blends with pleasure & efficiency. Transforming the weekend warrior's dreams into reality.

SPORT line

Bringing technologies and design that add genuine advancements, driving performance and handling. For pilots who demand that extra edge of performance for the real in-flight sportive experience.

SPEED line

Where precision meets unmatched velocity. Speed Line delivers agility and power for pilots who demand rapid responsiveness all based on uncompromised reliability. Need for speed and adrenaline, guaranteed.

LIGHT line

Where the purest blend of materials, design & innovation actualise feather weight solutions. For the purist, adventure enthusiast, through to the hike & fly athlete.



GREAT WING TO START
YOUR FLYING CAREER!



CENTAUR



MERMAID



HARPY



WEREWOLF



PEGASUS



ECHIDNA



BASILISK



MANTICORE



GRIFFIN



UNICORN

GAIA 3

	S	M	L	XL
Flat area (m ²)	23.30	25.20	27.13	29.34
Flat aspect ratio	4.72			
Number of cells	38			
Glider weight (kg)	4.20	4.45	4.75	5.10
Take-off weight (kg)	58-82	73-97	88-112	102-130
Certification	EN A			

GAIA 3

COMFORT
line






AYA 2

COMFORT
line

A TRULY USABLE PERFORMANCE
WITH PEACE OF MIND!



LIME CANDY




BLUE PARROT




LAVENDER



RED HOOD



ORANGE DAISY



GREY WOLF

AYA 2

	XS	S	M	L	XL
Flat area (m ²)	21.60	23.36	25.27	27.33	29.56
Flat aspect ratio	4.69				
Number of cells	37				
Glider weight (kg)	4.00	4.25	4.55	4.80	5.10
Take-off weight (kg)	50-72	60-80	75-95	90-110	105-130
Certification	EN A				





CARANCHO

COMFORT
line

SAFE CATEGORY WITH
EXCELLENT POTENTIAL



COMBO 1




COMBO 2



COMBO 3



COMBO 4



COMBO 5



COMBO 6



COMBO 7



COMBO 8

CARANCHO

	XS	S	M	L	XL
Flat area (m ²)	21.37	23.53	25.80	28.17	30.37
Flat aspect ratio	5.30				
Number of cells	48				
Glider weight(kg)	3.90	4.30	4.60	4.90	5.20
Take-off weight (kg)	58-77	68-90	80-103	93-116	106-130
Certification	-	EN A	EN A	EN A	-






KUDOS 3

COMFORT
line

CONFIDENT TO FLY,
HARD TO OUTGROW



CORAL REEF




CYAN ECLYPSE



HUMMINGBIRD



CHILLI LIME



MIAMI VICE



RED WINGLETS

KUDOS 3	XS	S	SM	ML	L	XL
Flat area	19.88	21.71	23.62	25.68	27.74	30.18
Flat aspect ratio	5.35					
Number of cells	48					
Glider weight (kg)	3.9	4.2	4.45	7.70	4.95	5.2
Take-off weight (kg)	50-70	60-80	70-90	80-100	90-115	105-130
Certification	EN B					





APOLLO 3

SPORT
line

FOLLOW THE WHITE RABBIT OF XC FLYING



COMBO 5



COMBO 6



COMBO 7



COMBO 8

APOLLO 3	S	SM	ML	L	XL
Flat area (m ²)	21.68	23.75	25.80	27.90	30.40
Flat aspect ratio	5.80				
Number of cells	57				
Glider weight(kg)	4	4.30	4.60	4.90	5.20
Take-off weight (kg)	57-78	70-92	82-105	95-119	108-133
Certification	EN B				





APOLLO 3 LIGHT

LIGHT
line

LIGHTWEIGHT EXPERIENCE ON XC FLIGHTS!



WALTZ



CHA-CHA



TANGO



QUICKSTEP




SAMBA



ROCKNROLL



FOXTROT



JIVE

APOLLO 3 light

	S	SM	ML	L	XL
Flat area (m²)	21.68	23.75	25.80	27.90	30.40
Flat aspect ratio	5.80				
Number of cells	57				
Glider weight(kg)	3.22	3.44	3.66	3.88	4.08
Take-off weight (kg)	57-78	70-92	82-105	95-119	108-133
Certification	EN B				






MAXIMUM PERFORMANCE
WITH MAXIMUM COMFORT



RED



ORANGE



LIME



BLUE

EXOS 2

	S	M	L	XL
Flat area (m ²)	20.78	22.12	23.38	24.88
Flat aspect ratio	6.40			
Number of cells	65			
Glider weight (kg)	3.30	3.45	3.60	3.80
Take-off weight (kg)	65-85	75-95	85-105	95-120
Certification	EN C			

EXOS 2

SPORT
line





TOP GUN FOR ALL!




TANAGER



FLYCATCHER



GREEN YAY



ORIOLE



WARBLER



FINCH



BLUEBIRD



SABERWING

MERLIN

SPORT
line

MERLIN	SM	ML	L
Flat area (m ²)	22.50	24.17	26.14
Flat aspect ratio		6.30	
Number of cells		67	
Glider weight(kg)	4.53	4.82	5.17
Take-off weight (kg)	81-92	93-104	105-117
Certification		EN C	





HARPY

SPORT
line

PUREBRED RACER



BLUE



LIME



PURPLE



RED

HARPY

	S	SM	ML	L	XL
Flat area	20.38	22.11	23.91	25.55	26.75
Flat aspect ratio	7.64				
Number of cells	103				
Glider weight (kg)	5.2	5.4	5.75	6.1	6.3
Take-off weight (kg)	85-95	90-105	100-115	110-125	115-130
Certification	CCC				





ZOE

SPORT
line

MINI WING - MAXI FUN



FANCY



MOLOCH



BALROG



GEHENNA

ZOE	13	15	17	19	21	23
Flat area (m ²)	14.18	15.63	17.24	19.00	20.95	23.10
Flat aspect ratio	4.20					
Number of cells	27					
Glider weight (kg)	2.50	2.65	2.85	3.05	3.30	3.55
Take-off weight (kg)						
thermal	45-58	50-64	55-71	61-78	67-86	74-95
hike and fly	55-67	60-74	66-82	73-90	81-100	89-110
mini wing	65-73	71-81	78-89	86-98	95-108	105-119
Certification	EN 926-1 (load test)					





ZOE LIGHT

SPORT
line

MINI WING - MAXI FUN



MAYA



HORIZON



PATRIOTE




KETCHUP

ZOE LIGHT

	13	15	17	19	21	23
Flat area (m ²)	14.18	15.63	17.24	19.00	20.95	23.10
Flat aspect ratio	4.20					
Number of cells	27					
Glider weight (kg)	1.85	1.95	2.10	2.25	2.40	2.60
Take-off weight (kg)						
thermal	45-58	50-64	55-71	61-78	67-86	74-95
hike and fly	55-67	60-74	66-82	73-90	81-100	89-110
mini wing	65-73	71-81	78-89	86-98	95-108	105-119
Certification	EN 926-1 (load test)					





PUZZLE

SPEED
line



YOUR FIRST PIECE
OF THE SPEED-SKY!




ACIO WAVE



AMETRINE



BLACK BOX



CHANTILLY



ICE PATCH



NEON JUNGLE



ORANGE CARBON



RED EDGE

PUZZLE

	12	14	16	18
Projected area (m ²)	10.51	12.28	14.04	15.92
Projected span (m)	5.64	6.09	6.52	6.941
Flat aspect ratio	3.85			
Number of cells	27			
Glider weight (kg)	2.35	2.65	2.85	3.05
Take-off weight (kg)	50-119			
Certification	EN-926 - 1 (load test)			





CHOOSE YOUR LIFE LINE WITH PIXEL!



BLACK ROSE



NOTHERN LIGHTS



WHITE WIDOW



PURPLE HAZE



BLUE CHEESE



AMNESIA



KUSH



CRITICAL

Size	7	9	11	13	15	17
Projected area (m ²)	6.14	7.90	9.70	11.40	13.20	14.90
Projected span (m)	4.40	4.99	5.52	5.99	6.45	6.87
Aspect ratio	4					
Number of cells	27					
Glider weight(kg)	1.70	1.90	2.10	2.35	2.60	2.85
Certification	EN-926					
Ideal weight range	50-100					

PIXEL

SPEED
line >>>>>>>





PIXEL LIGHT

SPEED
line

LIGHTER WAY TO GET YOUR
DOSE OF ADRENALINE



BLUEBERRY



DURBAN POISON



GREEN CRACK



JACK HARER



PANAMA RED



SOUR DIESEL

PIXEL LIGHT	7	9	11	13	15	17
Projected area (m ²)	6.14	7.90	9.70	11.40	13.20	14.90
Projected span (m)	4.40	4.49	5.52	5.99	6.45	6.87
Flat aspect ratio	4.00					
Number of cells	27					
Glider weight (kg)	1.25	1.40	1.60	1.80	2.05	2.35
Take-off weight (kg)	50-119					
Certification	EN-926 - 1 (load test)					





JACK OF ALL ACRO-TRADES



KOOKY 2

SPORT
line



TAO



TURBO BEE



MANDARINE



LUKE SKYWALKER

KOOKY 2

	16	18	20	22
Flat area (m ²)	16.15	18.17	20.18	22.00
Flat aspect ratio	5.60			
Number of cells	50			
Glider weight (kg)	4.25	4.45	4.65	4.85
Take-off weight (kg)	*	65-75	70-80	85-100
Certification	EN 926-1			






KOOKY 2 PRO

SPORT
line

A PURE ACROBATIC BEAST!




TAO



TURBO BEE



MANDARINE



LUKE SKYWALKER

KOOKY 2 PRO

	13	14
Flat Surface (m ²)	13.01	13.55
Flat aspect ratio		5.60
Number of cells		50
Glider weight (kg)	3.75	4.05
Take-off weight (kg)	for prof pilots	
Certification	EN - 962-1	






METIS 5

COMFORT
line

BUILT FOR ENDURANCE
TUNED FOR PERFORMANCE
RELIABLE BY NATURE




KRABS




PLANKTON



SANDY



SPONGEBOB



SQUIDWARD

METIS 5


	41	44
Flat area (m ²)	41.32	44.05
Flat aspect ratio	5.45	
Number of cells	50	
Glider weight (kg)	6.95	7.45
Take-off weight (kg)	120-215	135-239
Certification	EN / LTF B	






FUJIN


SPORT
line



FLY WHEN OTHERS PACK:
THE HIGH WIND TANDEM
MASTER



CITRUS NOIR




ELECTRIC TIDE




CHARCOAL FLAMES



OBSIDIAN ROUGE



SAPPHIRE EMBER



VELVET ACID

FUJIN

	22	25	29	33
Flat area (m ²)	21.82	24.90	28.40	33.01
Flat aspect ratio	4.95			
Number of cells	46			
Glider weight (kg)	4.70	5.00	5.35	5.70
Take-off weight (kg)	55-202	60-202	85-202	99-202
Certification	EN - 962-1			





KOOKY 2 BI

SPORT
line

SHARE THE ACRO PASSION!



TAO



TURBO BEE



MANDARINE



LUKE SKYWALKER

APOLLO BI

Flat area (m²)

Flat aspect ratio

Number of cells

Glider weight (kg)

Take-off weight (kg)

Certification

BI

31.00

5.60

50

7.46

110-220

EN 926-1






**HAS ALL YOU NEED
BUT ALSO JUST WHAT YOU NEED**



Gii 5

COMFORT
line 

Gii 5	S	M	L
Pilot's Height (cm)	150-170	160-185	175-200
Chest strap range (cm)	38-43	40-46	43-49
Suspension points height (cm)	42	45	48
Harness weight* (kg)	2.60	2.70	2.90
Certification	EN / LTF		

* Weight including seatboard, rescue handle and integrated V-bridle for the rescue parachute.



**VERSATILE CHOICE PROVIDING
COMFORT AND PROTECTION**



Gii 5 ALPHA

COMFORT
line 

Gii 5 ALPHA	S	M	L	XL
Pilot's Height (cm)	150-170	160-185	175-200	190-215
Chest strap range (cm)	38-43	40-46	43-49	46-52
Suspension points height (cm)	42	45	48	51
Harness weight with foam protector *(kg)	3.20	3.50	3.80	3.90
Harness weight with Sky BlowBag*(kg)	2.90	3.30	3.50	3.60
Certification	EN / LTF			

* Weight including seatboard, rescue handle and integrated V-bridle for the rescue parachute.



THE THIRD AND FLAWLESS CONFIGURATION TO BREAK INTO THE WORLD OF AEROBATICS!

Gii 52

COMFORT
line

Gii 52

	M	L
Pilot's Height (cm)	160-185	175-200
Chest strap range (cm)	40-46	43-49
Suspension points height (cm)	45	48
Harness weight with foam protector *(kg)	4.55	4.70
Harness weight with Sky BlowBag*(kg)	4.25	4.40
Certification	EN / NFL	


* Weight including seatboard, rescue handle and integrated V-bridle for the rescue parachute.



**BEST SUITED
FOR THE PILOTS ON THE MOVE**



REVERSE 5

COMFORT
line  

REVERSE 5	S	M	L	XL
Pilot's Height (cm)	152-168	163-183	175-195	185-210
Chest strap range (cm)	37-43	40-46	43-49	46-52
Suspension points height (cm)	42	45	48	51
Board width (cm)	32	34	36.50	39
Board depth (cm)	35	37.50	40	41.50
Protector Airbag	(integrated)			
Harness weight* (kg)	2.70	2.95	3.15	3.40
Certification	EN / LTF			

* Weight including seatboard, speed system, main carabines, rescue handle, integrated V-bridle for the rescue parachute.



**A COMFY COMPANION FOR
YOUR LONG-DISTANCE FLIGHTS**



SKYLIGHTER 4

LIGHT
line

SKYLIGHTER 4	M	L	XL
Pilot's Height (cm)	160-180	175-190	190-200
Chest strap range (cm)	40-46	43-49	46-52
Protector	Foam protector (15 cm) / Inflatable protector		
Harness weight* (kg)	3.00	3.20	3.40
Certification	EN / LTF		

* Weight including speedbag with carbon footplate and integrated cockpit, speed system, main carabines, rescue handle, and integrated V-bridle for the rescue parachute. Because of the hammock system, the height of suspension points varies with the pilot.



ULTIMATE FUNCTIONALITY ON THE MOUNTAIN



CRUX

LIGHT
line

CRUX	M	L	XL
Pilot's Height (cm)	160-180	175-190	185-200
Suspension points height (cm)	45	48	51
Chest Strap Width (cm)	43	45	48
Harness weight* (kg)	1.25	1.27	1.33
Certification	EN / LTF		

*Total weight of harness and backpack system without carabiners.

**COMPACT AND LIGHTWEIGHT
HARNESS PRIMARILY DESIGNED
FOR SPEEDFLYING!**



CRUX CORE

LIGHT
line 

CRUX CORE

	M	L	XL
Pilot's height (cm)	160-180	175-190	185-200
Suspension Points Height (cm)	45	48	51
Chest Strap Width (cm)	43	45	48
Harness Weight (kg)	0.70	0.76	0.82
Certification	EN / LTF		

*Total weight of harness and backpack system without carabiners.



TWIN 2 EVO

PAX EVO

COMFORT
line

INDISPENSABLE TOOLS FOR YOUR TANDEM FLIGHT



TWIN 2 evo

	M	L
Pilot's Height (cm)	160-180	175-195
Chest strap range (cm)	44-45	46-47
Suspension points height (cm)	44-45	46-47
Protector	Foam protector (15 cm)	
Harness weight* (kg)	2.80	2.90
Certification	EN / LTF	

* Weight including harness, integrated foam back protector, main carabiners, rescue handle, rescue parachute bridle protection sleeves.

PAX evo

Passenger's Height (cm)	150-200
Board Width (cm)	37
Protector Airbag	(integrated)
Harness weight* (kg)	2.90
Certification	EN / LTF

* Total weight when complete and ready to fly



SKY SYTEM 3

COMFORT
line



SKY SYSTEM 3	90	110	135
Surface area (m ²)	22.50	26.30	32.50
Number of panels	13	14	16
Payload	57-86	70-105	86-130
Sinkrate at max. load (m/s)	< 5.31	< 5.36	< 5.47
Weight of the reserve (kg)	1.40	1.55	1.85
Volume (l)	3.30	3.70	4.60
Certification	EN / LTF		

* weight of fully-equipped pilot without the paraglider

SKY LITE

LIGHT
line



SKY LITE	M	L	XL	BI
Surface area (m ²)	20.60	24.50	29.10	55.90
Number of panels	14	16	18	20
Payload	60-80	71-95	86-115	158-210
Sinkrate at max. load (m/s)	< 5.5	< 5.5	< 5.5	< 5.5
Weight of the reserve (kg)	1.00	1.20	1.40	2.70
Volume (l)	2.40	2.80	3.00	6.50
Certification	EN / LTF			

* weight of fully-equipped pilot without the paraglider



QUATRO

COMFORT
line



QUATRO LIGHT

LIGHT
line



QUATRO	90	110	130
Surface area (m ²)	22.50	27.50	32.50
Payload	60-90	73-110	87-135
Sinkrate at max. load (m/s)	< 4.90	< 5.25	< 5.40
Weight of the reserve (kg)	1.20	1.40	1.70
Volume (l)	3.50	3.70	4.90
Certification	EN / LTF		

* weight of fully-equipped pilot without the paraglider

QUATRO LIGHT	90	110	130
Surface area (m ²)	18.85	23.00	27.30
Payload	60-90	73-110	87-135
Sinkrate at max. load (m/s)	< 5.50	< 5.50	< 5.50
Weight of the reserve (kg)	0.90	1.05	1.20
Volume (l)	2.60	2.90	3.70
Certification	EN / LTF		

* weight of fully-equipped pilot without the paraglider



QUATRO LIGHT 160/225

LIGHT
line



QUATRO LIGHT	160	225
Surface area (m ²)	40	48
Payload	106-160	169-225
Sinkrate at max. load (m/s)	< 5.35	< 5.50
Weight of the reserve (kg)	1.70	2.10(+/-2.5%)
Volume (l)	5.30	6.8
Certification	EN / LTF	

* weight of fully-equipped pilot without the paraglider

SKY DRIVE II

SPORT
line



SKY DRIVE II	
Surface area (m ²)	38
Max. take-off load (kg)	135
Sinkrate at max. load (m/s)	4.4-5.0
Number of panels	2 x 8
Weight of the reserve (kg)	1.85 (including two-phase container)
Glide ratio	2
Max. speed during deployment (km/h)	115
Forward speed	2 x sink rate
Certification	EN / LTF

* weight of fully-equipped pilot without the paraglider



BACKPACKS

EYRIE LIGHT

Size: 95 Liters volume

Weight: 750 g



EYRIE 2

Size: L (140 L) - XL (180 L)

Weight: 1.15 kg in L size



BI PRO

Size: 210 Litres volume

Weight: 1.20 kg





PACKING

SKY COMPACT BAG

M size:
for XS, S and M gliders, weight: 240g


L size:
for L and XL gliders, weight: 260g



SKY SLIM BAG 2

M size:
for XS, S, and M gliders

L size:
for L and XL gliders



CARRY ALL BAG/ LIGHT

	CAB	CAB LIGHT
Diameter:	120 cm	120 cm
Height:	50 cm	50 cm
Weight:	750 g	650 g



CARRY ALL BAG PROFI 2

Diameter:	120 cm
Height:	50 cm





CONNECTIONS

SPREADERS

Light and soft spreaders for tandem flying.



SPREADERS BAR

Traditional spreader bar for tandem flying.



CARBON SPREADER BARS

Tandem spreaders with carbon fibre bars. Available in two sizes: 25 and 15 cm.



V RISERS FOR RESERVE

Length: 146 cm


Weight: 113g



V DYNEEMA STRAP

Length: 133.5cm

Weight: 50g



V DYNEEMA LINE

Length: 141 cm

Weight: 44g



WHEN SKY IS YOUR TERRITORY



www.sky-cz.com

Sky Paragliders
Okružní 39
739 11 Frýdlant nad Ostravicí
Czech Republic

email: info@sky-cz.com



Spolufinancováno
Evropskou unií

© SKY PARAGLIDERS All rights reserved