CATALOGUE 2027

SKY
PARAGLIDERS

The Lines

We strongly believe that true performance & pleasure is born from the right match of pilot to wing.
Our Lines Series clearly & logically define the different facets of our beautiful sport. We say, 'simply choose your style'. With the Lines Series, we make this choice as easy as possible so that you can begin to realise your full potential.

COMFORT line

Where security blends with pleasure & efficiency.
Transforming the weekend warrior's dreams into reality.

SPORT line

Bringing technologies and design that add genuine advancements, driving performance and handling.
For pilots who demand that extra edge of performance for the real in-flight sportive experience.

SPEED line

Where precision meets unmatched velocity. Speed Line delivers agility and power for pilots who demand rapid responsiveness all based on uncompromised reliability.
Need for speed and adrenaline, guaranteed.

LIGHT line

Where the purest blend of materials, design & innovation actualise feather weight solutions.
For the purist, adventure enthusiast, through to the hike & fly athlete.

GREAT WING TO START YOUR FLYING CAREER!

GAIA 3	S	M	L	XL
Flat area (m²)	23.30	25.20	27.13	29.34
Flat aspect ratio	4.72			
Number of cells	38			
Glider weight (kg)	4.20	4.45	4.75	5.10
Take-off weight (kg)	58-82	73-97	88-112	102-130
Certification	EN A			

GAIA 3

COMFORT line

3d CUT

R.L.E.

A TRULY USABLE PERFORMANCE WITH PEACE OF MIND!

LIME CANDY BLUE PARROT LAVENDER

RED HOOD ORANGE DAISY GREY WOLF

AYA 2	XS	S	M	L	XL
Flat area (m²)	21.60	23.36	25.27	27.33	29.56
Flat aspect ratio	4.69				
Number of cells	37				
Glider weight (kg)	4.00	4.25	4.55	4.80	5.10
Take-off weight (kg)	50-72	60-80	75-95	90-110	105-130
Certification	EN A				

3d CUT R.L.E.

AYA 2

COMFORT line

CARANCHO

COMFORT line

SAFE CATEGORY WITH EXCELLENT POTENTIAL

CARANCHO	XS	S	M	L	XL
Flat area (m²)	21.37	23.53	25.80	28.17	30.37
Flat aspect ratio			5.30		
Number of cells			48		
Glider weight(kg)	3.90	4.30	4.60	4.90	5.20
Take-off weight (kg)	58-77	68-90	80-103	93-116	106-130
Certification	-	EN A	EN A	EN A	-

TRIPLE 3D CUT

MINI-RIBS

X.R.C.

KUDOS 3

COMFORT line

CONFIDENT TO FLY, HARD TO OUTGROW

CORAL REEF | CYAN ECLYPSE | HUMMINGBIRD

CHILLI LIME | MIAMI VICE | RED WINGLETS

KUDOS 3	XS	S	SM	ML	L	XL
Flat area	19.88	21.71	23.62	25.68	27.74	30.18
Flat aspect ratio	5.35					
Number of cells	48					
Glider weight (kg)	3.9	4.2	4.45	7.70	4.95	5.2
Take-off weight (kg)	50-70	60-80	70-90	80-100	90-115	105-130
Certification	EN B					

3d CUT | MINI-RIBS | WINGLETS | X.R.C.

APOLLO 3

SPORT line

FOLLOW THE WHITE RABBIT OF XC FLYING

COMBO 5

COMBO 6

COMBO 7

COMBO 8

APOLLO 3	S	SM	ML	L	XL
Flat area (m^2)	21.68	23.75	25.80	27.90	30.40
Flat aspect ratio			5.80		
Number of cells			57		
Glider weight(kg)	4	4.30	4.60	4.90	5.20
Take-off weight (kg)	57-78	70-92	82-105	95-119	108-133
Certification			EN B		

APOLLO 3 LIGHT

LIGHT line

LIGHTWEIGHT EXPERIENCE ON XC FLIGHTS!

APOLLO 3 light	S	SM	ML	L	XL
Flat area (m²)	21.68	23.75	25.80	27.90	30.40
Flat aspect ratio			5.80		
Number of cells			57		
Glider weight(kg)	3.22	3.44	3.66	3.88	4.08
Take-off weight (kg)	57-78	70-92	82-105	95-119	108-133
Certification			EN B		

EXOS 2

SPORT line

MAXIMUM PERFORMANCE WITH MAXIMUM COMFORT

RED ORANGE LIME BLUE

EXOS 2	S	M	L	XL
Flat area (m²)	20.78	22.12	23.38	24.88
Flat aspect ratio	6.40			
Number of cells	65			
Glider weight (kg)	3.30	3.45	3.60	3.80
Take-off weight (kg)	65-85	75-95	85-105	95-120
Certification	EN C			

MERLIN

SPORT line

TOP GUN FOR ALL!

MERLIN	SM	ML	L
Flat area (m²)	22.50	24.17	26.14
Flat aspect ratio		6.30	
Number of cells		67	
Glider weight(kg)	4.53	4.82	5.17
Take-off weight (kg)	81-92	93-104	105-117
Certification		EN C	

HARPY

SPORT line

PUREBRED RACER

BLUE LIME PURPLE RED

HARPY	S	SM	ML	L	XL
Flat area	20.38	22.11	23.91	25.55	26.75
Flat aspect ratio			7.64		
Number of cells			103		
Glider weight (kg)	5.2	5.4	5.75	6.1	6.3
Take-off weight (kg)	85-95	90-105	100-115	110-125	115-130
Certification			CCC		

3d CUT M.A.D. A.B.H. NITINOL

ZOE

SPORT line

MINI WING - MAXI FUN

FANCY MOLOCH BALROG GEHENNA

ZOE	13	15	17	19	21	23
Flat area (m²)	14.18	15.63	17.24	19.00	20.95	23.10
Flat aspect ratio	4.20					
Number of cells	27					
Glider weight (kg)	2.50	2.65	2.85	3.05	3.30	3.55
Take-off weight (kg)						
thermal	45-58	50-64	55-71	61-78	67-86	74-95
hike and fly	55-67	60-74	66-82	73-90	81-100	89-110
mini wing	65-73	71-81	78-89	86-98	95-108	105-119
Certification	EN 926-1 (load test)					

3d CUT R.L.E.

ZOE LIGHT

SPORT line

MINI WING - MAXI FUN

MAYA HORIZON PATRIOTE KETCHUP

ZOE LIGHT	13	15	17	19	21	23
Flat area (m²)	14.18	15.63	17.24	19.00	20.95	23.10
Flat aspect ratio	4.20					
Number of cells	27					
Glider weight (kg)	1.85	1.95	2.10	2.25	2.40	2.60
Take-off weight (kg)						
thermal	45-58	50-64	55-71	61-78	67-86	74-95
hike and fly	55-67	60-74	66-82	73-90	81-100	89-110
mini wing	65-73	71-81	78-89	86-98	95-108	105-119
Certification	EN 926-1 (load test)					

3d CUT R.L.E.

PUZZLE

SPEED line

YOUR FIRST PIECE OF THE SPEED-SKY!

ACIO WAVE

AMETRINE

BLACK BOX



CHANTILLY

ICE PATCH

NEON JUNGLE

ORANGE CARBON

RED EDGE

PUZZLE	12	14	16	18
Projected area (m²)	10.51	12.28	14.04	15.92
Projected span (m)	5.64	6.09	6.52	6.941
Flat aspect ratio	3.85			
Number of cells	27			
Glider weight (kg)	2.35	2.65	2.85	3.05
Take-off weight (kg)	50–119			
Certification	EN-926 - 1 (load test)			

R.L.E. B.C.S

PIXEL

SPEED line

CHOOSE YOUR LIFE LINE WITH PIXEL!

BLACK ROSE

NOTHERN LIGHTS

WHITE WIDOW

PURPLE HAZE

BLUE CHEESE

AMNESIA

KUSH

CRITICAL

Size	7	9	11	13	15	17
Projected area (m^2)	6.14	7.90	9.70	11.40	13.20	14.90
Projected span (m)	4.40	4.99	5.52	5.99	6.45	6.87
Aspect ratio	4					
Number of cells	27					
Glider weight(kg)	1.70	1.90	2.10	2.35	2.60	2.85
Certification	EN-926					
Ideal weight range	50-100					

R.L.E.

B.C.S

PIXEL LIGHT

SPEED line

LIGHTER WAY TO GET YOUR DOSE OF ADRENALINE

BLUEBERRY

DURBAN POISON

GREEN CRACK

JACK HARER

PANAMA RED

SOUR DIESEL

PIXEL LIGHT	7	9	11	13	15	17
Projected area (m²)	6.14	7.90	9.70	11.40	13.20	14.90
Projected span (m)	4.40	4.49	5.52	5.99	6.45	6.87
Flat aspect ratio	4.00					
Number of cells	27					
Glider weight (kg)	1.25	1.40	1.60	1.80	2.05	2.35
Take-off weight (kg)	50–119					
Certification	EN-926 – 1 (load test)					

R.L.E. B.C.S

JACK OF ALL ACRO-TRADES

TAO

TURBO BEE

MANDARINE



LUKE SKYWALKER

KOOKY 2	16	18	20	22
Flat area (m²)	16.15	18.17	20.18	22.00
Flat aspect ratio	5.60			
Number of cells	50			
Glider weight (kg)	4.25	4.45	4.65	4.85
Take-off weight (kg)	*	65-75	70-80	85-100
Certification	EN 926-1			

KOOKY 2

SPORT line

KOOKY 2 PRO

SPORT line

A PURE ACROBATIC BEAST!



TAO | TURBO BEE | MANDARINE | LUKE SKYWALKER

KOOKY 2 PRO	13	14
Flat Surface (m^2)	13.01	13.55
Flat aspect ratio	5.60	
Number of cells	50	
Glider weight (kg)	3.75	4.05
Take-off weight (kg)	for prof pilots	
Certification	EN - 962-1	

METIS 5

COMFORT line

BUILT FOR ENDURANCE
TUNED FOR PERFORMANCE
RELIABLE BY NATURE

KRABS



PLANKTON

SANDY



SPONGEBOB



SQUIDWARD

METIS 5	41	44
Flat area (m²)	41.32	44.05
Flat aspect ratio	5.45	
Number of cells	50	
Glider weight (kg)	6.95	7.45
Take-off weight (kg)	120-215	135-239
Certification	EN / LTF B	

3d CUT R.L.E. A.F.P.

FUJIN

SPORT line

FLY WHEN OTHERS PACK: THE HIGH WIND TANDEM MASTER



CITRUS NOIR | ELECTRIC TIDE | CHARCOAL FLAMES

OBSIDIAN ROUGE | SAPPHIRE EMBER | VELVET ACID

FUJIN	22	25	29	33
Flat area (m^2)	21.82	24.90	28.40	33.01
Flat aspect ratio	4.95			
Number of cells	46			
Glider weight (kg)	4.70	5.00	5.35	5.70
Take-off weight (kg)	55-202	60-202	85-202	99-202
Certification	EN - 962-1			

3d CUT

KOOKY 2 BI

SPORT line

SHARE THE ACRO PASSION!

TAO



TURBO BEE

MANDARINE



LUKE SKYWALKER

APOLLO BI	BI
Flat area (m²)	31.00
Flat aspect ratio	5.60
Number of cells	50
Glider weight (kg)	7.46
Take-off weight (kg)	110-220
Certification	EN 926-1

HAS ALL YOU NEED BUT ALSO JUST WHAT YOU NEED

Gii 5

COMFORT line

Gii 5	S	M	L
Pilot´s Height (cm)	150-170	160-185	175-200
Chest strap range (cm)	38-43	40-46	43-49
Suspension points height (cm)	42	45	48
Harness weight* (kg)	2.60	2.70	2.90
Certification		EN / LTF	

* Weight including seatboard, rescue handle and integrated V-bridle for the rescue parachute.

VERSATILE CHOICE PROVIDING COMFORT AND PROTECTION

Gii 5 ALPHA

COMFORT line

Gii 5 ALPHA	S	M	L	XL
Pilot´s Height (cm)	150-170	160-185	175-200	190-215
Chest strap range (cm)	38-43	40-46	43-49	46-52
Suspension points height (cm)	42	45	48	51
Harness weight with foam protector *(kg)	3.20	3.50	3.80	3.90
Harness weight with Sky BlowBag*(kg)	2.90	3.30	3.50	3.60
Certification			EN / LTF	

* Weight including seatboard, rescue handle and integrated V-bridle for the rescue parachute.

Gii 52

COMFORT line

THE THIRD AND FLAWLESS CONFIGURATION TO BREAK INTO THE WORLD OF AEROBATICS!

Gii 52	M	L
Pilot´s Height (cm)	160-185	175-200
Chest strap range (cm)	40-46	43-49
Suspension points height (cm)	45	48
Harness weight with foam protector *(kg)	4.55	4.70
Harness weight with Sky BlowBag*(kg)	4.25	4.40
Certification	EN / NFL	

* Weight including seatboard, rescue handle and integrated V-bridle for the rescue parachute.

BEST SUITED FOR THE PILOTS ON THE MOVE

REVERSE 5

COMFORT line

REVERSE 5	S	M	L	XL
Pilot´s Height (cm)	152-168	163-183	175-195	185-210
Chest strap range (cm)	37-43	40-46	43-49	46-52
Suspension points height (cm)	42	45	48	51
Board width (cm)	32	34	36.50	39
Board depth (cm)	35	37.50	40	41.50
Protector Airbag	(integrated)			
Harness weight* (kg)	2.70	2.95	3.15	3.40
Certification	EN / LTF			

* Weight including seatboard, speed system, main carabines, rescue handle, integrated V-bridle for the rescue parachute.

A COMFY COMPANION FOR YOUR LONG-DISTANCE FLIGHTS

SKYLIGHTER 4

LIGHT line

SKYLIGHTER 4	M	L	XL
Pilot´s Height (cm)	160-180	175-190	190-200
Chest strap range (cm)	40-46	43-49	46-52
Protector	Foam protector (15 cm) / Inflatable protector		
Harness weight* (kg)	3.00	3.20	3.40
Certification		EN / LTF	

* Weight including speedbag with carbon footplate and integrated cockpit, speed system, main carabines, rescue handle, and integrated V-bridle for the rescue parachute. Because of the hammock system, the height of suspension points varies with the pilot.

ULTIMATE FUNCTIONALITY ON THE MOUNTAIN

CRUX	M	L	XL
Pilot´s Height (cm)	160-180	175-190	185-200
Suspension points height (cm)	45	48	51
Chest Strap Width (cm)	43	45	48
Harness weight* (kg)	1.25	1.27	1.33
Certification		EN / LTF	

*Total weight of harness and backpack system without carabiners.

CRUX

LIGHT line

COMPACT AND LIGHTWEIGHT HARNESS PRIMARILY DESIGNED FOR SPEEDFLYING!

CRUX CORE

LIGHT line

CRUX CORE	M	L	XL
Pilot´s height (cm)	160-180	175-190	185-200
Suspension Points Height (cm)	45	48	51
Chest Strap Width (cm)	43	45	48
Harness Weight (kg)	0.70	0.76	0.82
Certification		EN / LTF	

*Total weight of harness and backpack system without carabiners.

INDISPENSABLE TOOLS FOR YOUR TANDEM FLIGHT

TWIN 2 evo	M	L
Pilot´s Height (cm)	160-180	175-195
Chest strap range (cm)	44-45	46-47
Suspension points height (cm)	44-45	46-47
Protector	Foam protector (15 cm)	
Harness weight* (kg)	2.80	2.90
Certification	EN / LTF	

* Weight including harness, integrated foam back protector, main carabiners, rescue handle, rescue parachute bridle protection sleeves.

PAX evo	
Passenger's Height (cm)	150-200
Board Width (cm)	37
Protector Airbag	(integrated)
Harness weight* (kg)	2.90
Certification	EN / LTF

* Total weight when complete and ready to fly

TWIN 2 EVO
PAX EVO

COMFORT line

SKY SYTEM 3

COMFORT line

SKY SYSTEM 3	90	110	135
Surface area (m²)	22.50	26.30	32.50
Number of panels	13	14	16
Payload	57-86	70-105	86-130
Sinkrate at max. load (m/s)	< 5.31	< 5.36	< 5.47
Weight of the reserve (kg)	1.40	1.55	1.85
Volume (l)	3.30	3.70	4.60
Certification	EN / LTF		

* weight of fully-equipped pilot without the paraglider

SKY LITE

LIGHT line

SKY LITE	M	L	XL	BI
Surface area (m²)	20.60	24.50	29.10	55.90
Number of panels	14	16	18	20
Payload	60-80	71-95	86-115	158-210
Sinkrate at max. load (m/s)	< 5.5	< 5.5	< 5.5	< 5.5
Weight of the reserve (kg)	1.00	1.20	1.40	2.70
Volume (l)	2.40	2.80	3.00	6.50
Certification	EN / LTF			

* weight of fully-equipped pilot without the paraglider

QUATRO

COMFORT line

QUATRO LIGHT

LIGHT line

QUATRO	90	110	130
Surface area (m²)	22.50	27.50	32.50
Payload	60-90	73-110	87-135
Sinkrate at max. load (m/s)	< 4.90	< 5.25	< 5.40
Weight of the reserve (kg)	1.20	1.40	1.70
Volume (l)	3.50	3.70	4.90
Certification		EN / LTF	

* weight of fully-equipped pilot without the paraglider

QUATRO LIGHT	90	110	130
Surface area (m²)	18.85	23.00	27.30
Payload	60-90	73-110	87-135
Sinkrate at max. load (m/s)	< 5.50	< 5.50	< 5.50
Weight of the reserve (kg)	0.90	1.05	1.20
Volume (l)	2.60	2.90	3.70
Certification		EN / LTF	

* weight of fully-equipped pilot without the paraglider

QUATRO LIGHT 160/225

LIGHT line

QUATRO LIGHT	160	225
Surface area (m²)	40	48
Payload	106-160	169-225
Sinkrate at max. load (m/s)	< 5.35	< 5.50
Weight of the reserve (kg)	1.70	2.10(+-2.5%)
Volume (l)	5.30	6.8
Certification	EN / LTF	

* weight of fully-equipped pilot without the paraglider

SKY DRIVE II

SPORT line

SKY DRIVE II	
Surface area (m²)	38
Max. take-off load (kg)	135
Sinkrate at max. load (m/s)	4.4-5.0
Number of panels	2 x 8
Weight of the reserve (kg)	1.85 (including two-phase container)
Glide ratio	2
Max. speed during deployment (km/h)	115
Forward speed	2 x sink rate
Certification	EN / LTF

* weight of fully-equipped pilot without the paraglider

BACKPACKS

EYRIE LIGHT

Size: 95 Liters volume
Weight: 750 g

EYRIE 2

Size: L (140 L) - XL (180 L)
Weight: 1.15 kg in L size

BI PRO

Size: 210 Litres volume
Weight: 1.20 kg

PACKING

SKY COMPACT BAG

M size:
for XS, S and M gliders, weight: 240g

L size:
for L and XL gliders, weight: 260g

SKY SLIM BAG 2

M size:
for XS, S, and M gliders

L size:
for L and XL gliders



CARRY ALL BAG/ LIGHT

	CAB	CAB LIGHT
Diameter:	120 cm	120 cm
Height:	50 cm	50 cm
Weight:	750 g	650 g

CARRY ALL BAG PROFI 2

Diameter: 120 cm
Height: 50 cm

CONNECTIONS

SPREADERS

Light and soft spreaders for tandem flying.



SPREADERS BAR

Traditional spreader bar for tandem flying.

CARBON SPREADER BARS

Tandem spreaders with carbon fibre bars. Available in two sizes: 25 and 15 cm.

V RISERS FOR RESERVE

Length: 146 cm
Weight: 113g

V DYNEEMA STRAP

Length: 133.5cm
Weight: 50g



V DYNEEMA LINE

Length: 141 cm
Weight: 44g

WHEN SKY IS YOUR/OUR TERRITORY

www.sky-cz.com

Sky Paragliders
Okružní 39
739 11 Frýdlant nad Ostravicí
Czech Republic

email: info@sky-cz.com

Co-funded by the European Union

© SKY PARAGLIDERS All rights reserved